



Safety Data Sheet

1. Identification

Product Identifier : Clearline
Recommended Uses : Drain Opener
Supplier : CP Industries Ltd.
P.O. Box 300
535 Dickson Drive
Fergus, Ontario
N1M 2W8
Emergency Telephone : (613) 996-6666 (CANUTEC)

2. Hazard Identification

Product Classifications :	Corrosive to Metals	Category 1
	Skin Corrosion/Irritation	Category 1
	Serious Eye Damage/Eye Irritation	Category 1

Symbols :



Signal Word : Danger
Hazard Statements : May be corrosive to metals.
Causes severe skin burns and eye damage.
Precautionary Statements : Wear protective gloves and eye protection/face protection.
Do not breathe mists.
Wash thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Immediately call a POISON CONTROL CENTRE or doctor.

Store locked up.
Keep only in original packaging.
Absorb spillage to prevent material-damage.
Dispose of contents/container according to local, provincial and federal regulations.

3. Composition/Information on Ingredients

Hazardous Ingredients :

Chemical Name	CAS Number	Concentration (% w/w)
Sulphuric acid	7664-93-9	60 – 100

4. First Aid Measures

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CONTROL CENTRE or doctor.

IF ON SKIN (or hair): Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Immediately call a POISON CONTROL CENTRE or doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CONTROL CENTRE or doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CONTROL CENTRE or doctor.

Symptoms of Acute Exposure

Eye contact :	Burns, redness, watering, pain, loss of vision.
Skin contact :	Severe burns, redness, itching, swelling, damage to underlying tissues.
Ingestion :	Burns, irritation and swelling to mouth, throat and stomach.
Inhalation :	Burns to nose, throat and respiratory tract. Coughing, difficulty breathing and/or shortness of breath.

5. Fire Fighting Measures

Suitable Extinguishing Media :

Suitable materials include dry chemical, carbon dioxide, and alcohol-resistant foam.

Unsuitable Extinguishing Media :

Do not use water spray or direct water jet.

Specific Hazards and Combustion Products :

Non-combustible. Contact with soft metals forms flammable hydrogen gas. Contact with water releases heat. If in a fire or heated, container may experience a pressure rise and rupture. During fire, gases hazardous to health may be formed. Combustion products include oxides of sulphur.

Protective Equipment and Precautions
for Firefighters :

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Move containers from fire area if possible without risk. Keep containers cool with water spray. Collect contaminated fire extinguishing water and other media separately.

6. Accidental Release Measures

- Personal Precautions : Immediately evacuate personnel to safe areas. Wear appropriate personal protective equipment (See Section 8: Exposure controls / Personal protection). Only trained and properly protected personnel must be involved in clean-up operations. Material may create slippery conditions.
- Containment and Clean Up : Stop leak if it is safe to do so. Dike spilled material, where possible. Absorb with suitable inert dry material such as absorbent clay and place into closed containers for disposal. Do not use textiles, sawdust, or combustible substances. Avoid dispersal of spilled material or contact with soil or entry into waterways, sewers and drains. Dispose of contents/containers according to local, provincial, and federal regulations. Following product recovery, flush area with water.

7. Handling and Storage

- Handling : Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required (See Section 8: Exposure controls / Personal protection). Wash thoroughly after handling.
- Storage : Keep away from incompatible materials (See Section 10: Stability and Reactivity). Keep away from metals, strong bases, hypochlorites and chlorine-releasing compounds, and moisture. Keep only in original packaging. Store in a cool, dry, well-ventilated place. Keep container tightly closed when not in use. Store locked up.

8. Exposure Controls/Personal Protection

Control Parameters :

Chemical Name	CAS Number	Value type	Permissible Concentration	Basis
Sulphuric acid	7664-93-9	TLV-TWA	0.2 mg/m ³	ACGIH

Engineering Controls : Ensure adequate ventilation.

Personal Protection :

Eye/Face :	Chemical splash goggles and face shield.
Skin :	Chemical-resistant protective gloves.
Respiratory :	Wear an NIOSH/MSHA approved respirator.
Other :	Long pants and long sleeved shirt. Rubber boots and rubber apron as necessary.

9. Physical and Chemical Properties

Appearance :	Clear, dark red liquid
Odour :	Not available
Odour Threshold :	Not available
pH :	0 – 1
Freezing Point :	Not available
Boiling Point :	Not available
Flash Point :	Not available
Evaporation Rate :	Not available
Flammability :	Not available
Lower Flammability Limit :	Not available
Upper Flammability Limit :	Not available
Vapour Pressure :	Not available
Vapour Density :	Not available
Relative Density :	1.840
Solubility :	Complete in water
Partition Coefficient :	Not available
Auto-ignition Temperature :	Not available
Decomposition Temperature :	Not available
Viscosity :	Not available

10. Stability and Reactivity

Reactivity :	With incompatible materials. Contact with soft metals forms flammable hydrogen gas. Contact with hypochlorites and chlorine-releasing compounds forms toxic chlorine gas.
Chemical stability :	Chemically stable.
Hazardous reactions :	With incompatible materials. Polymerization not expected to occur. Contact with water releases large amounts of heat.
Conditions to avoid :	Avoid incompatible materials.
Incompatible materials :	Reducing agents, hypochlorites and chlorine-releasing compounds, combustible materials, strong bases, soft metals, metals.
Hazardous decomposition products :	Not applicable.

11. Toxicological Information

Routes of Exposure :

Eye contact :	Causes serious eye damage.
Skin contact :	Causes severe skin burns.
Ingestion :	Causes burns to mouth, throat and stomach.
Inhalation :	Causes burns to nose, throat and respiratory tract.

Symptoms of Acute Exposure

Eye contact :	Burns, redness, watering, pain, loss of vision.
Skin contact :	Severe burns, redness, itching, swelling, damage to underlying tissues.
Ingestion :	Burns, irritation and swelling to mouth, throat and stomach.
Inhalation :	Burns to nose, throat and respiratory tract. Coughing, difficulty breathing and/or shortness of breath.

Chronic Effects: IARC has classified exposure to strong inorganic acid mists containing sulphuric acid as being carcinogenic to humans. The route of entry is inhalation of these mists resulting in respiratory cancers.

Calculated Acute Toxicity Estimates

Oral :	2,000 – 2,500 mg/kg
Dermal :	Not available
Inhalation :	Not available

12. Ecological Information

Not available.

13. Disposal Considerations

Dispose of contents/container according to local, provincial and federal regulations.

14. Transportation Information

For transportation in a road vehicle or a railway vehicle :

TDG Classification :	UN Number:	1830
	Shipping Name :	SULPHURIC ACID
	Class :	8
	Subclass :	
	Packing Group :	II
	Limited Quantity :	1L or less

15. Regulatory Information

Consumer Chemicals
and Containers Regulations Classification : Corrosive

16. Other Information

SDS Revision Date : November 5, 2018