



## Safety Data Sheet

### 1. Identification

Product Identifier : Pure Solv  
Recommended Uses : Solvent Cleaner and Deodorizer  
Supplier : CP Industries Ltd.  
P.O. Box 300  
535 Dickson Drive  
Fergus, Ontario  
N1M 2W8  
Emergency Telephone : (613) 996-6666 (CANUTEC)

### 2. Hazard Identification

Product Classifications : Flammable Liquids Category 3  
Skin Corrosion/Irritation Category 2  
Serious Eye Damage/Eye Irritation Category 2  
Skin Sensitization Category 1  
Aspiration Hazard Category 1

Symbols :



Signal Word : Danger

Hazard Statements : Flammable liquid and vapour.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause an allergic skin reaction.  
May be fatal if swallowed and enters airways.

Precautionary Statements : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not breathe mists, spray or vapours.  
Wear protective gloves and eye protection/face protection.  
Wash thoroughly after handling.  
Contaminated work clothing should not be allowed out of the workplace.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Wash contaminated clothing before reuse.

IF SWALLOWED: Immediately call a POISON CONTROL CENTRE or doctor. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container according to local, provincial and federal regulations.

### 3. Composition/Information on Ingredients

Hazardous Ingredients :

Chemical Name	CAS Number	Concentration (% w/w)
d-Limonene	5989-27-5	60 – 100
Linear alcohol ethoxylate	68131-39-5	7 – 13

### 4. First Aid Measures

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

IF ON SKIN (or hair): Wash with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs, get medical attention.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CONTROL CENTRE/doctor.

IF INHALED: Remove person to fresh air. Get medical attention if you feel unwell.

Symptoms of Acute Exposure :

Eye contact :	Redness, pain, watering.
Skin contact :	Irritation, redness, itching. May cause drying and cracking of skin.
Ingestion :	Irritation to mouth, throat and stomach.
Inhalation :	Irritation to nose, throat and respiratory tract.

### 5. Fire Fighting Measures

Suitable Extinguishing Media :	As for surrounding fire. Suitable materials include water spray, dry chemical, carbon dioxide, and alcohol-resistant foam.
--------------------------------	--

Unsuitable Extinguishing Media :	Not available.
----------------------------------	----------------

Specific Hazards and Combustion Products :	Combustible liquid. Can ignite if heated. Vapours may travel considerable distance to a source of ignition and
--	--

flash back. If in a fire or heated, container may experience a pressure rise and rupture. During fire, gases hazardous to health may be formed. Combustion products include oxides of carbon.

Protective Equipment and Precautions  
for Firefighters :

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Move containers from fire area if possible without risk. Keep containers cool with water spray. Collect contaminated fire extinguishing water and other media separately.

## 6. Accidental Release Measures

- Personal Precautions : Immediately evacuate personnel to safe areas. Eliminate sources of ignition. Provide adequate ventilation. Wear appropriate personal protective equipment (See Section 8: Exposure controls / Personal protection). Only trained and properly protected personnel must be involved in clean-up operations. Material may create slippery conditions.
- Containment and Clean Up : Stop leak if it is safe to do so. Dike spilled material, where possible. Absorb with suitable inert dry material such as absorbent clay and place into closed containers for disposal. Use only non-sparking tools. Avoid dispersal of spilled material or contact with soil or entry into waterways, sewers and drains. Dispose of contents/containers according to local, provincial, and federal regulations. Following product recovery, flush area with water.

## 7. Handling and Storage

- Handling : Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required (See Section 8: Exposure controls / Personal protection). Wash thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Storage : Keep away from incompatible materials (See Section 10: Stability and Reactivity). Keep away from oxidizing agents and heat. Store in a cool, dry, well-ventilated place. Keep container tightly closed when not in use. Store locked up.

## 8. Exposure Controls/Personal Protection

Control Parameters :

Chemical Name	CAS Number	Value type	Permissible Concentration	Basis
d-Limonene	5989-27-5	TLV-TWA	20 ppm	ACGIH
Linear alcohol ethoxylate	68131-39-5	TLV	Not established	

Engineering Controls :	Ensure adequate ventilation.
Personal Protection :	
Eye/Face :	Safety glasses or chemical splash goggles.
Skin :	Chemical-resistant protective gloves.
Respiratory :	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Other :	Long pants and long sleeved shirt.

## 9. Physical and Chemical Properties

Appearance :	Clear, colourless liquid
Odour :	Citrus
Odour Threshold :	Not available
pH :	Not available
Freezing Point :	Not available
Boiling Point :	Not available
Flash Point :	48°C (Closed Cup)
Evaporation Rate :	Not available
Flammability :	Not available
Lower Flammability Limit :	Not available
Upper Flammability Limit :	Not available
Vapour Pressure :	Not available
Vapour Density :	Not available
Relative Density :	0.87
Solubility :	Insoluble
Partition Coefficient :	Not available
Auto-ignition Temperature :	Not available
Decomposition Temperature :	Not available
Viscosity :	Not available

## 10. Stability and Reactivity

Reactivity :	With incompatible materials.
Chemical stability :	Chemically stable.
Hazardous reactions :	With incompatible materials. Polymerization not expected to occur.
Conditions to avoid :	Avoid incompatible materials. Avoid static discharge. Avoid heating or elevated temperatures.
Incompatible materials :	Oxidizing agents.
Hazardous decomposition products :	Not applicable.

## 11. Toxicological Information

Routes of Exposure :	
Eye contact :	Causes serious eye irritation.
Skin contact :	Causes skin irritation. May cause an allergic skin reaction.
Ingestion :	Causes irritation to mouth, throat and stomach.

Inhalation : Causes irritation to nose, throat and respiratory tract.

Symptoms of Acute Exposure :

Eye contact : Redness, pain, watering.  
Skin contact : Irritation, redness, itching. May cause drying and cracking of skin.  
Ingestion : Irritation to mouth, throat and stomach.  
Inhalation : Irritation to nose, throat and respiratory tract.

Chronic Effects : May cause an allergic skin reaction.

Calculated Acute Toxicity Estimates

Oral : 4,500 – 5,000 mg/kg  
Dermal : 5,000 – 6,000 mg/kg  
Inhalation : Not available

## 12. Ecological Information

Not available.

## 13. Disposal Considerations

Dispose of contents/container according to local, provincial and federal regulations.

## 14. Transportation Information

For transportation in a road vehicle or a railway vehicle :

When packaged in a container size of less than 450L this product is exempt from Parts 3, 4, 5, 6, 7, 9, 10 of the Transportation of Dangerous Goods Regulations due to the Class 3 Flammable Liquids: General Exemption, Part 1.33.

TDG Classification :	UN Number:	2319
	Shipping Name :	TERPENE HYDROCARBONS, N.O.S. (d-Limonene)
	Class :	3
	Subclass :	
	Packing Group :	III
	Exemption :	450L or less

## 15. Regulatory Information

Not available.

## 16. Other Information

SDS Revision Date : July 5, 2018